
18-447

Computer Architecture Lecture 10: Branch Prediction II

Prof. Onur Mutlu
Rachata Ausavarungnirun
Carnegie Mellon University
Spring 2015, 2/6/2015

HW 1 Grades



Mean: 130.8

Median: 149.5

Stddev: 45

Agenda for Today & Next Few Lectures

- Single-cycle Microarchitectures
- Multi-cycle and Microprogrammed Microarchitectures
- Pipelining
- Issues in Pipelining: Control & Data Dependence Handling, State Maintenance and Recovery, ...
- Out-of-Order Execution
- Issues in OoO Execution: Load-Store Handling, ...

Reminder: Readings for Next Few Lectures (I)

- P&H Chapter 4.9-4.11
- Smith and Sohi, "The Microarchitecture of Superscalar Processors," Proceedings of the IEEE, 1995
 - More advanced pipelining
 - Interrupt and exception handling
 - Out-of-order and superscalar execution concepts
- McFarling, "Combining Branch Predictors," DEC WRL Technical Report, 1993.
 HW3 summary paper
- Kessler, "The Alpha 21264 Microprocessor," IEEE Micro 1999.

Reminder: Readings for Next Few Lectures (II)

 Smith and Plezskun, "Implementing Precise Interrupts in Pipelined Processors," IEEE Trans on Computers 1988 (earlier version in ISCA 1985).

Recap of Last Lecture

- Predicated Execution Primer
- Delayed Branching
 - With and without squashing
- Branch Prediction
 - Reducing misprediction penalty (branch resolution latency)
 - Branch target buffer (BTB)
- Static Branch Prediction
- Dynamic Branch Prediction
- How Big Is the Branch Problem?

Recitation Session on Monday

- Please bring questions related to:
 - Lab 3
 - HW 2 (due Wednesday)
 - Lectures 1-10
 - Reading assignments

Review: More Sophisticated Direction Prediction

- Compile time (static)
 - Always not taken
 - Always taken
 - BTFN (Backward taken, forward not taken)
 - Profile based (likely direction)
 - Program analysis based (likely direction)
- Run time (dynamic)
 - Last time prediction (single-bit)
 - Two-bit counter based prediction
 - Two-level prediction (global vs. local)
 - Hybrid

Review: Importance of The Branch Problem

- Assume N = 20 (20 pipe stages), W = 5 (5 wide fetch)
- Assume: 1 out of 5 instructions is a branch
- Assume: Each 5 instruction-block ends with a branch
- How long does it take to fetch 500 instructions?
 - □ 100% accuracy
 - 100 cycles (all instructions fetched on the correct path)
 - No wasted work
 - □ 99% accuracy
 - 100 (correct path) + 20 (wrong path) = 120 cycles
 - 20% extra instructions fetched
 - □ 98% accuracy
 - 100 (correct path) + 20 * 2 (wrong path) = 140 cycles
 - 40% extra instructions fetched
 - 95% accuracy
 - 100 (correct path) + 20 * 5 (wrong path) = 200 cycles
 - 100% extra instructions fetched

Review: Can We Do Better?

- Last-time and 2BC predictors exploit "last-time" predictability
- Realization 1: A branch's outcome can be correlated with other branches' outcomes
 - Global branch correlation
- Realization 2: A branch's outcome can be correlated with past outcomes of the same branch (other than the outcome of the branch "last-time" it was executed)
 - Local branch correlation

Global Branch Correlation (I)

 Recently executed branch outcomes in the execution path is correlated with the outcome of the next branch

```
if (cond1)
...
if (cond1 AND cond2)
```

If first branch not taken, second also not taken

```
branch Y: if (cond1) a = 2;
...
branch X: if (a == 0)
```

If first branch taken, second definitely not taken

Global Branch Correlation (II)

```
branch Y: if (cond1)
...
branch Z: if (cond2)
...
branch X: if (cond1 AND cond2)
```

- If Y and Z both taken, then X also taken
- If Y or Z not taken, then X also not taken

Global Branch Correlation (III)

Eqntott, SPEC 1992

If B1 is not taken (i.e., aa==0@B3) and B2 is not taken (i.e. bb=0@B3) then B3 is certainly taken

Capturing Global Branch Correlation


- Idea: Associate branch outcomes with "global T/NT history" of all branches
- Make a prediction based on the outcome of the branch the last time the same global branch history was encountered

Implementation:

- □ Keep track of the "global T/NT history" of all branches in a register → Global History Register (GHR)
- Use GHR to index into a table that recorded the outcome that was seen for each GHR value in the recent past → Pattern History Table (table of 2-bit counters)
- Global history/branch predictor
- Uses two levels of history (GHR + history at that GHR)

Two Level Global Branch Prediction

- First level: Global branch history register (N bits)
 - The direction of last N branches
- Second level: Table of saturating counters for each history entry
 - The direction the branch took the last time the same history was seen



How Does the Global Predictor Work?

After the initial startup time, the conditional branches have the following behavior, assuming GR is shifted to the left:

	test	value	GR	result
	j<3	j=l	1101	taken
	j<3	j=2	1011	taken
	j<3	j=3	0111	not taken
ſ	i<100		1110	usually taken

This branch tests i
Last 4 branches test j
History: TTTN
Predict taken for i
Next history: TTNT
(shift in last outcome)


McFarling, "Combining Branch Predictors," DEC WRL TR 1993.

Intel Pentium Pro Branch Predictor

- 4-bit global history register
- Multiple pattern history tables (of 2 bit counters)
 - Which pattern history table to use is determined by lower order bits of the branch address

Improving Global Predictor Accuracy


- Idea: Add more context information to the global predictor to take into account which branch is being predicted
 - Gshare predictor: GHR hashed with the Branch PC
 - + More context information
 - + Better utilization of PHT




McFarling, "Combining Branch Predictors," DEC WRL Tech Report, 1993.

Review: One-Level Branch Predictor


Direction predictor (2-bit counters)



Two-Level Global History Branch Predictor



Two-Level Gshare Branch Predictor



Can We Do Better?

- Last-time and 2BC predictors exploit only "last-time" predictability for a given branch
- Realization 1: A branch's outcome can be correlated with other branches' outcomes
 - Global branch correlation
- Realization 2: A branch's outcome can be correlated with past outcomes of the same branch (in addition to the outcome of the branch "last-time" it was executed)
 - Local branch correlation

Local Branch Correlation

If the loop test is done at the end of the body, the corresponding branch will execute the pattern $(1110)^n$, where 1 and 0 represent taken and not taken respectively, and n is the number of times the loop is executed. Clearly, if we knew the direction this branch had gone on the previous three executions, then we could always be able to predict the next branch direction.


McFarling, "Combining Branch Predictors," DEC WRL TR 1993.

Capturing Local Branch Correlation


- Idea: Have a per-branch history register
 - Associate the predicted outcome of a branch with "T/NT history" of the same branch
- Make a prediction based on the outcome of the branch the last time the same local branch history was encountered
- Called the local history/branch predictor
- Uses two levels of history (Per-branch history register + history at that history register value)

Two Level Local Branch Prediction

- First level: A set of local history registers (N bits each)
 - Select the history register based on the PC of the branch
- Second level: Table of saturating counters for each history entry
 - The direction the branch took the last time the same history was seen



Two-Level Local History Branch Predictor



Hybrid Branch Predictors

- Idea: Use more than one type of predictor (i.e., multiple algorithms) and select the "best" prediction
 - E.g., hybrid of 2-bit counters and global predictor


Advantages:

- + Better accuracy: different predictors are better for different branches
- + Reduced warmup time (faster-warmup predictor used until the slower-warmup predictor warms up)

Disadvantages:

- -- Need "meta-predictor" or "selector"
- -- Longer access latency
- McFarling, "Combining Branch Predictors," DEC WRL Tech Report, 1993.

Alpha 21264 Tournament Predictor



- Minimum branch penalty: 7 cycles
- Typical branch penalty: 11+ cycles
- 48K bits of target addresses stored in I-cache
- Predictor tables are reset on a context switch
- Kessler, "The Alpha 21264 Microprocessor," IEEE Micro 1999.

Branch Prediction Accuracy (Example)

Bimodal: table of 2bc indexed by branch address




Figure 13: Combined Predictor Performance by Benchmark

Biased Branches

- Observation: Many branches are biased in one direction (e.g., 99% taken)
- Problem: These branches pollute the branch prediction structures → make the prediction of other branches difficult by causing "interference" in branch prediction tables and history registers
- Solution: Detect such biased branches, and predict them with a simpler predictor (e.g., last time, static, ...)
- Chang et al., "Branch classification: a new mechanism for improving branch predictor performance," MICRO 1994.

Some Other Branch Predictor Types

- Loop branch detector and predictor
 - Works well for loops with small number of iterations, where iteration count is predictable
- Perceptron branch predictor
 - Learns the direction correlations between individual branches
 - Assigns weights to correlations
 - Jimenez and Lin, "Dynamic Branch Prediction with Perceptrons," HPCA 2001.
- Geometric history length predictor
- Your predictor?

How to Handle Control Dependences


- Critical to keep the pipeline full with correct sequence of dynamic instructions.
- Potential solutions if the instruction is a control-flow instruction:
- Stall the pipeline until we know the next fetch address
- Guess the next fetch address (branch prediction)
- Employ delayed branching (branch delay slot)
- Do something else (fine-grained multithreading)
- Eliminate control-flow instructions (predicated execution)
- Fetch from both possible paths (if you know the addresses of both possible paths) (multipath execution)

Review: Predicate Combining (not Predicated Execution)

- Complex predicates are converted into multiple branches
 - \Box if ((a == b) && (c < d) && (a > 5000)) { ... }
 - 3 conditional branches
- Problem: This increases the number of control dependencies
- Idea: Combine predicate operations to feed a single branch instruction
 - Predicates stored and operated on using condition registers
 - A single branch checks the value of the combined predicate
- + Fewer branches in code → fewer mipredictions/stalls
- -- Possibly unnecessary work
 - -- If the first predicate is false, no need to compute other predicates
- Condition registers exist in IBM RS6000 and the POWER architecture

Predication (Predicated Execution)

- Idea: Compiler converts control dependence into data dependence → branch is eliminated
 - Each instruction has a predicate bit set based on the predicate computation
 - Only instructions with TRUE predicates are committed (others turned into NOPs)



Conditional Move Operations

- Very limited form of predicated execution
- CMOV R1 ← R2
 - R1 = (ConditionCode == true) ? R2 : R1
 - Employed in most modern ISAs (x86, Alpha)


Review: CMOV Operation

- Suppose we had a Conditional Move instruction...
 - □ CMOV condition, R1 ← R2
 - R1 = (condition == true) ? R2 : R1
 - Employed in most modern ISAs (x86, Alpha)
- Code example with branches vs. CMOVs if (a == 5) {b = 4;} else {b = 3;}

```
CMPEQ condition, a, 5;
CMOV condition, b \leftarrow 4;
CMOV !condition, b \leftarrow 3;
```

Predicated Execution (II)

 Predicated execution can be high performance and energyefficient



Predicated Execution (III)

Advantages:

- + Eliminates mispredictions for hard-to-predict branches
 - + No need for branch prediction for some branches
 - + Good if misprediction cost > useless work due to predication
- + Enables code optimizations hindered by the control dependency
 - + Can move instructions more freely within predicated code

Disadvantages:


- -- Causes useless work for branches that are easy to predict
 - -- Reduces performance if misprediction cost < useless work
 - -- Adaptivity: Static predication is not adaptive to run-time branch behavior. Branch behavior changes based on input set, program phase, control-flow path.
- -- Additional hardware and ISA support
- -- Cannot eliminate all hard to predict branches
 - -- Loop branches

Predicated Execution in Intel Itanium

- Each instruction can be separately predicated
- 64 one-bit predicate registers

each instruction carries a 6-bit predicate field


An instruction is effectively a NOP if its predicate is false



Almost all ARM instructions can include an optional condition code.

 An instruction with a condition code is executed only if the condition code flags in the CPSR meet the specified condition.

31	28	27									615	8	7			0	Instruction type
Cond		0	0	Ι	0	pc	:od	le	5	Rn	Rd		0per	and2	2		Data processing / PSR Transfer
Cond		0	0	0	0	0	0) [A S	Rd	Rn	Rs	1 0	0 1		Rm	Multiply
Cond		0	0	0	0	1	υ	J	A S	RdHi	RdLo	Rs	1 0	0 1		Rm	Long Multiply (v3M / v4 only)
Cond		0	0	0	1	. 0	E	3	0 (Rn	Rd	0 0 0 0	1 0	0 1		Rm	Swap
Cond		0	1	Ι	P	U	E	3 1	W	Rn	Rd	Offset					Load/Store Byte/Word
Cond		1	0	0	P	U	5	3	W	Rn		Register List					Load/Store Multiple
Cond	l	0	0	0	P	U	1	L	W I	Rn	Rd	Offset1	1 s	н 1	O	ffset2	$Halfword\ transfer: Immediate\ offset\ (v4\ only)$
Cond		0 (0	0	P	U	0	1	W I	Rn	Rd	0 0 0 0	1 s	н 1		Rm	Halfword transfer: Register offset (v4 only)
Cond		1	0	1	I	-					Offs	set					Branch
Cond	l	0	0	0	1	() (0	1	0 1 1 1 1	1 1 1 1	1 1 1 1	0 (0 1	1	Rn	Branch Exchange (v4T only)
Cond	l	1	1	0	P	U	N	1	w ı	Rn	CRd	CPNum		Off	se	et	Coprocessor data transfer
Cond		1	1	1	. 0		C	Эp	1	CRn	CRd	CPNum	Op	2 0		CRm	Coprocessor data operation
Cond		1	1	1	. 0		Or	1	I	CRn	Rd	CPNum	Op	2 1		CRm	Coprocessor register transfer
Cond		1	1	1	. 1				•	"	SWI Nu	ımber	•	•			Software interrupt
						_											



15

- * To execute an instruction conditionally, simply postfix it with the appropriate condition:
 - For example an add instruction takes the form:

```
- ADD r0, r1, r2 ; r0 = r1 + r2 (ADDAL)
```


• To execute this only if the zero flag is set:

```
- ADDEQ r0,r1,r2 ; If zero flag set then...
; ... r0 = r1 + r2
```

- * By default, data processing operations do not affect the condition flags (apart from the comparisons where this is the only effect). To cause the condition flags to be updated, the S bit of the instruction needs to be set by postfixing the instruction (and any condition code) with an "S".
 - For example to add two numbers and set the condition flags:

```
- ADDS r0,r1,r2 ; r0 = r1 + r2 ; ... and set flags
```





- * Convert the GCD algorithm given in this flowchart into
 - 1) "Normal" assembler, where only branches can be conditional.
 - ARM assembler, where all instructions are conditional, thus improving code density.
- * The only instructions you need are CMP, B and SUB.



The ARM Instruction Set - ARM University Program - V1.0

"Normal" Assembler

```
gcd cmp r0, r1    ;reached the end?
    beq stop
    blt less    ;if r0 > r1
    sub r0, r0, r1    ;subtract r1 from r0
    bal gcd
less sub r1, r1, r0    ;subtract r0 from r1
    bal gcd
stop
```

ARM Conditional Assembler

```
gcd cmp r0, r1 ;if r0 > r1
subgt r0, r0, r1 ;subtract r1 from r0
sublt r1, r1, r0 ;else subtract r0 from r1
bne gcd ;reached the end?
```




Idealism

- Wouldn't it be nice
 - If the branch is eliminated (predicated) only when it would actually be mispredicted
 - If the branch were predicted when it would actually be correctly predicted
- Wouldn't it be nice
 - If predication did not require ISA support

Improving Predicated Execution

- Three major limitations of predication
 - 1. Adaptivity: non-adaptive to branch behavior
 - 2. Complex CFG: inapplicable to loops/complex control flow graphs
 - 3. ISA: Requires large ISA changes
- Wish Branches [Kim+, MICRO 2005]
 - Solve 1 and partially 2 (for loops)




- Dynamic Predicated Execution
 - □ Diverge-Merge Processor [Kim+, MICRO 2006]
 - Solves 1, 2 (partially), 3


Wish Branches

- The compiler generates code (with wish branches) that can be executed either as predicated code or nonpredicated code (normal branch code)
- The hardware decides to execute predicated code or normal branch code at run-time based on the confidence of branch prediction
- Easy to predict: normal branch code
- Hard to predict: predicated code
- Kim et al., "Wish Branches: Enabling Adaptive and Aggressive Predicated Execution," MICRO 2006, IEEE Micro Top Picks, Jan/Feb 2006.

Wish Jump/Join

High Confidence







normal branch code

mov b.0





predicated code



p1=(cond)
wish.jump p1 TARGET

B

(!p(1) mov b,1 wishspajpilp(1)OIOIN

C TARGET:

(1) mov b,0

D **JOIN**:

wish jump/join code

Wish Branches vs. Predicated Execution

Advantages compared to predicated execution

- Reduces the overhead of predication
- Increases the benefits of predicated code by allowing the compiler to generate more aggressively-predicated code
- Makes predicated code less dependent on machine configuration (e.g. branch predictor)

Disadvantages compared to predicated execution

- Extra branch instructions use machine resources
- Extra branch instructions increase the contention for branch predictor table entries
- Constrains the compiler's scope for code optimizations

How to Handle Control Dependences

- Critical to keep the pipeline full with correct sequence of dynamic instructions.
- Potential solutions if the instruction is a control-flow instruction:
- Stall the pipeline until we know the next fetch address
- Guess the next fetch address (branch prediction)
- Employ delayed branching (branch delay slot)
- Do something else (fine-grained multithreading)
- Eliminate control-flow instructions (predicated execution)
- Fetch from both possible paths (if you know the addresses of both possible paths) (multipath execution)

Multi-Path Execution

Idea: Execute both paths after a conditional branch

- For all branches: Riseman and Foster, "The inhibition of potential parallelism by conditional jumps," IEEE Transactions on Computers, 1972.
- For a hard-to-predict branch: Use dynamic confidence estimation


Advantages:


- + Improves performance if misprediction cost > useless work
- + No ISA change needed

Disadvantages:

- -- What happens when the machine encounters another hard-to-predict branch? Execute both paths again?
 - -- Paths followed quickly become exponential
- -- Each followed path requires its own context (registers, PC, GHR)
- -- Wasted work (and reduced performance) if paths merge

Dual-Path Execution versus Predication





Remember: Branch Types

Туре	Direction at fetch time	Number of possible next fetch addresses?	When is next fetch address resolved?
Conditional	Unknown	2	Execution (register dependent)
Unconditional	Always taken	1	Decode (PC + offset)
Call	Always taken	1	Decode (PC + offset)
Return	Always taken	Many	Execution (register dependent)
Indirect	Always taken	Many	Execution (register dependent)

How can we predict an indirect branch with many target addresses?


Call and Return Prediction


- Direct calls are easy to predict
 - Always taken, single target
 - Call marked in BTB, target predicted by BTB
- Returns are indirect branches
 - A function can be called from many points in code
 - A return instruction can have many target addresses
 - Next instruction after each call point for the same function
 - Observation: Usually a return matches a call
 - Idea: Use a stack to predict return addresses (Return Address Stack)
 - A fetched call: pushes the return (next instruction) address on the stack
 - A fetched return: pops the stack and uses the address as its predicted target
 - Accurate most of the time: 8-entry stack → > 95% accuracy

Call X
...
Call X
...
Call X
...
Call X
...
Return
Return
Return

Indirect Branch Prediction (I)

Register-indirect branches have multiple targets





R1 = MEM[R2] branch R1

Conditional (Direct) Branch

Indirect Jump

- Used to implement
 - Switch-case statements
 - Virtual function calls
 - Jump tables (of function pointers)
 - Interface calls

Indirect Branch Prediction (II)

- No direction prediction needed
- Idea 1: Predict the last resolved target as the next fetch address
 - + Simple: Use the BTB to store the target address
 - -- Inaccurate: 50% accuracy (empirical). Many indirect branches switch between different targets
- Idea 2: Use history based target prediction
 - E.g., Index the BTB with GHR XORed with Indirect Branch PC
 - Chang et al., "Target Prediction for Indirect Jumps," ISCA 1997.
 - + More accurate
 - -- An indirect branch maps to (too) many entries in BTB
 - -- Conflict misses with other branches (direct or indirect)
 - -- Inefficient use of space if branch has few target addresses

More Ideas on Indirect Branches?

- Virtual Program Counter prediction
 - Idea: Use conditional branch prediction structures *iteratively* to make an indirect branch prediction
 - i.e., devirtualize the indirect branch in hardware

Curious?


 Kim et al., "VPC Prediction: Reducing the Cost of Indirect Branches via Hardware-Based Dynamic Devirtualization," ISCA 2007.

Issues in Branch Prediction (I)

- Need to identify a branch before it is fetched
- How do we do this?
 - □ BTB hit → indicates that the fetched instruction is a branch
 - BTB entry contains the "type" of the branch
 - Pre-decoded "branch type" information stored in the instruction cache identifies type of branch
- What if no BTB?
 - Bubble in the pipeline until target address is computed
 - E.g., IBM POWER4

Issues in Branch Prediction (II)

- Latency: Prediction is latency critical
 - Need to generate next fetch address for the next cycle
 - Bigger, more complex predictors are more accurate but slower




Complications in Superscalar Processors

- Superscalar processors
 - attempt to execute more than 1 instruction-per-cycle
 - must fetch multiple instructions per cycle
- What if there is a branch in the middle of fetched instructions?
- Consider a 2-way superscalar fetch scenario
 (case 1) Both insts are not taken control flow inst
 - \blacksquare nPC = PC + 8

(case 2) One of the insts is a taken control flow inst

- nPC = predicted target addr
- *NOTE* both instructions could be control-flow; prediction based on the first one predicted taken
- If the 1st instruction is the predicted taken branch
 - → nullify 2nd instruction fetched

Multiple Instruction Fetch: Concepts



Review of Last Few Lectures

- Control dependence handling in pipelined machines
 - Delayed branching
 - Fine-grained multithreading
 - Branch prediction
 - Compile time (static)
 - Always NT, Always T, Backward T Forward NT, Profile based
 - Run time (dynamic)
 - Last time predictor
 - □ Hysteresis: 2BC predictor
 - □ Global branch correlation → Two-level global predictor
 - □ Local branch correlation → Two-level local predictor
 - Hybrid branch predictors
 - Predicated execution
 - Multipath execution
 - Return address stack & Indirect branch prediction